

Table ENG-3. - Building Site Development

Accomack County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AhA:							
Arapahoe	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Dragston	4	Somewhat limited		Very limited		Somewhat limited	
		Depth to saturated zone	0.81	Depth to saturated zone	1.00	Depth to saturated zone	0.81
Munden	4	Somewhat limited		Very limited		Somewhat limited	
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
Seabrook	3	Not limited		Somewhat limited		Not limited	
				Depth to saturated zone	0.95		
AmA:							
Arapahoe	45	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Melfa	40	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Dragston	8	Somewhat limited		Very limited		Somewhat limited	
		Depth to saturated zone	0.81	Depth to saturated zone	1.00	Depth to saturated zone	0.81
Munden	7	Somewhat limited		Very limited		Somewhat limited	
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
AtD:							
Assateague	95	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
Camocca		Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00

Table ENG-3. - Building Site Development - Continued

Accomack County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AtD:							
Chincoteague		Very limited		Very limited		Very limited	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Fisherman		Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	1.00	Depth to saturated zone	0.07
BeB:							
Beaches	95	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding Depth to saturated zone	1.00 0.95	Flooding	1.00
Assateague		Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
Camocca		Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Chincoteague		Very limited		Very limited		Very limited	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
BhB:							
Bojac	90	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
Dragston		Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
BkA:							
Bojac	90	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
Dragston		Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81

BoA:

Table ENG-3. - Building Site Development - Continued

Accomack County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings				
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value			
BoA:										
Bojac	90	Not limited		Somewhat limited Depth to saturated zone		Not limited				
Dragston		Somewhat limited Depth to saturated zone		0.81	Very limited Depth to saturated zone		1.00	Somewhat limited Depth to saturated zone		0.81
CaA:										
Camocca	95	Very limited Flooding		1.00	Very limited Flooding		1.00	Very limited Flooding		1.00
		Depth to saturated zone		1.00	Depth to saturated zone		1.00	Depth to saturated zone		1.00
Assateague		Very limited Flooding		1.00	Very limited Flooding		1.00	Very limited Flooding		1.00
		Slope		1.00	Slope		1.00	Slope		1.00
Chincoteague		Very limited Ponding		1.00	Very limited Ponding		1.00	Very limited Ponding		1.00
		Flooding		1.00	Flooding		1.00	Flooding		1.00
		Depth to saturated zone		1.00	Depth to saturated zone		1.00	Depth to saturated zone		1.00
Fisherman		Very limited Flooding		1.00	Very limited Flooding		1.00	Very limited Flooding		1.00
		Depth to saturated zone		0.07	Depth to saturated zone		1.00	Depth to saturated zone		0.07
ChA:										
Chincoteague	95	Very limited Ponding		1.00	Very limited Ponding		1.00	Very limited Ponding		1.00
		Flooding		1.00	Flooding		1.00	Flooding		1.00
		Depth to saturated zone		1.00	Depth to saturated zone		1.00	Depth to saturated zone		1.00
Camocca		Very limited Flooding		1.00	Very limited Flooding		1.00	Very limited Flooding		1.00
		Depth to saturated zone		1.00	Depth to saturated zone		1.00	Depth to saturated zone		1.00
Dragston		Somewhat limited Depth to saturated zone		0.81	Very limited Depth to saturated zone		1.00	Somewhat limited Depth to saturated zone		0.81
Magotha		Very limited Flooding		1.00	Very limited Flooding		1.00	Very limited Flooding		1.00
		Depth to saturated zone		1.00	Depth to saturated zone		1.00	Depth to saturated zone		1.00

Table ENG-3. - Building Site Development - Continued

Accomack County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
ChA:							
Munden		Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Nimmo		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Tidal Mudflats		Not Rated		Not Rated		Not Rated	
DrA:							
Dragston	90	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
Arapahoe		Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Munden		Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Seabrook		Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
FhB:							
Fisherman	95	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
Assateague		Very limited Flooding Slope	1.00 1.00	Very limited Flooding Slope	1.00 1.00	Very limited Flooding Slope	1.00 1.00
Chincoteague		Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
FmD:							
Fisherman	45	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07

Table ENG-3. - Building Site Development - Continued

Accomack County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
FmD:							
Assateague	40	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
Camocca		Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Chincoteague		Very limited		Very limited		Very limited	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
FrB:							
Camocca	45	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Fisherman	45	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	1.00	Depth to saturated zone	0.07
Assateague		Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
Chincoteague		Very limited		Very limited		Very limited	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
MaA:							
Magotha	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Dragston		Somewhat limited		Very limited		Somewhat limited	
		Depth to saturated zone	0.81	Depth to saturated zone	1.00	Depth to saturated zone	0.81
Munden		Somewhat limited		Very limited		Somewhat limited	
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39

Table ENG-3. - Building Site Development - Continued

Accomack County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MaA:							
Seabrook		Not limited		Somewhat limited Depth to saturated zone		Not limited	
McA:							
Melfa	45	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Hobucken	40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Bojac		Not limited		Somewhat limited Depth to saturated zone		Not limited	
Chincoteague		Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Dragston		Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
Munden		Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Seabrook		Not limited		Somewhat limited Depth to saturated zone		Not limited	
MoB:							
Molena	90	Not limited		Not limited		Not limited	
Dragston		Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
MoD:							
Molena	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-3. - Building Site Development - Continued

Accomack County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MoD:							
Dragston		Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
MuA:							
Munden	90	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Nimmo		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Seabrook		Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
NmA:							
Nimmo	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Dragston		Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
Munden		Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Polawana		Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Seabrook		Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
PoA:							
Polawana	95	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Dragston		Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81

Table ENG-3. - Building Site Development - Continued

Accomack County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
PoA:							
Munden		Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Nimmo		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
SeA:							
Seabrook	90	Not limited		Somewhat limited Depth to saturated zone	0.95	Not limited	
Bojac		Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
Dragston		Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
Nimmo		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
UpD:							
Udorthents	45	Not Rated		Not Rated		Not Rated	
Udipsamments	35	Not Rated		Not Rated		Not Rated	
Bojac		Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
Chincoteague		Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Molena		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
W:							
Water	100	Not Rated		Not Rated		Not Rated	